Offline Introduction

1.02.04 Indexing

As was discussed in the Fast Download section above, there are quite often times when users of Liquid UI Offline may be required to work with large data tables. These data tables can cause significant performance issues due to the large size of the data concerned. However, Offline enables users to reduce the problems associated with large data sets by using the indexing function. By indexing, users will not feel the effects of having large data sets in the system and the related operations will be performed at a faster pace.

Offline enables users to create indexes for each individual data table. This ensures that the database processing operations will be faster. The syntax for creating a database index is as follows:

```
createDatabaseIndex("data _table");
```

The createDatabaseIndex function is a generic API created in Offline. In order to use this API, the user is only required to call the API in order to create a relevant index for a data table. However, it is important to remember that when performing indexing, it is necessary to identify which columns in a given table will be indexed when the database table is created. It is also necessary to call the 'createDatabaseIndex( )' function defined above.

In the following example, we will first create a variable that refers to the specific SAP transaction as shown below:

```
var striw2xTCode = "iw2x";
var objiw2x = ne
w SR3TransactionObject(striw2xTCode); //Creating Transaction Object
```

Once the variable has been created, the user will proceed to index given the data table. In the example shown below, we will be creating a new data table and indexing certain columns. The columns to be indexed are highlighted in green in the following script:

```
objiw2x.addDatabaseTable([
{fieldname:"g_iw2x_no_off_stat",index:1
,columntitle:"Status",columnwidth:6, fieldlength:1,fieldtype:DBF_STRIN
G,keytype:DBT_NON_PRIMARY_KEY,columntype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_ref_date",columntitle:"Reference Date",columnwidth:
14, fieldlength:10,fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,c
olumntype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_notf_no",columntitle:"Notif Num",columnwidth:12,fie
ldlength:11,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,columntyp
e:CTRL_TABLE_STATIC},
```


(c) 2026 Liquid UI | Synactive | GuiXT <dev@guixt.com> | 2026-11-02 20:01

URL: https://www.liquid-ui.com/knowledge_base/content/126/1081/en/10204-indexing.html

```
{fieldname:"g_iw2x_sdesc",columntitle:"Description",columnwidth:0,fiel
dlength:40,fieldtype:DBF_STRING,
keytype:DBT_NON_PRIMARY_KEY,columntype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_notf_type",columntitle:"Notif Type",columnwidth:10,
fieldlength:2,fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,column
type:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_ord_no",index:1
,columntitle:"Order Num",columnwidth:0,fieldlength:8,fieldtype:DBF_STR
ING, keytype:DBT_NON_PRIMARY_KEY,columntype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_sub_area",columntitle:"Sub Area",columnwidth:0,fiel
dlength:5,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,columntype:
CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_floc",columntitle:"Func.Loc",columnwidth:0,fieldlen
gth:8,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,
columntype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_route_no",columntitle:"Route Num",columnwidth:7,fie
ldlength:7,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,columntype
:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_tmap",columntitle:"TMap",columnwidth:0,fieldlength:
6,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,columntype:CTRL_TAB
LE_STATIC},
{fieldname:"g_iw2x_crew_type",columntitle:"Crew Type",columnwidth:10,f
ieldlength:1,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,columnty
pe:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_crew_typedesc",columntitle:"Crew Type Desc",columnw
idth:0,fieldlength:30,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY
,columntype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_how_notified",columntitle:"How Notified",columnwidt
h:13,fieldlength:1,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,co
lumntype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_how_notifieddesc",columntitle:"How Notified Desc",c
olumnwidth:0, fieldlength:30,fieldtype:DBF_STRING,keytype:DBT_NON_PRIM
ARY_KEY,columntype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_notif_dt",columntitle:"Notify Date",columnwidth:11,
fieldlength:10,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,column
type:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_planner",columntitle:"Planner",columnwidth:0,fieldl
ength:8,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,columntype:CT
RL_TABLE_STATIC},
{fieldname:"g_iw2x_resperson",columntitle:"Res.Person",columnwidth:0,
fieldlength:7,fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,column
type:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_priority",columntitle:"Priority",columnwidth:0,fiel
dlength:1,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,columntype:
CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_reqstdate",columntitle:"Req Start Date",columnwidth
:0,fieldlength:10,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,col
umntype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_reqenddt",columntitle:"Req End Date",columnwidth:0,
```


(c) 2026 Liquid UI | Synactive | GuiXT <dev@guixt.com> | 2026-11-02 20:01

URL: https://www.liquid-ui.com/knowledge_base/content/126/1081/en/10204-indexing.html

fieldlength:10,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,column
type:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_comp_date",columntitle:"Complete Date",columnwidth:
0,fieldlength:10,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,colu
mntype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_created_date",columntitle:"Created Date",columnwidt
h:0,fieldlength:10,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,co
lumntype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_change_date",columntitle:"Changed Date",columnwidth
:0,fieldlength:10,fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,co
lumntype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_lngtxt_0",columntitle:"Lng.Txt-0",columnwidth:0,fie
ldlength:100,fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,columnt
ype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_lngtxt_1",columntitle:"Lng.Txt-1",columnwidth:0,fie
ldlength:100,fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,columnt
ype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_lngtxt_2",columntitle:"Lng.Txt-2",columnwidth:0,fie
ldlength:100,fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,columnt
ype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_lngtxt_3",columntitle:"Lng.Txt-3",columnwidth:0, fi
eldlength:100,fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,column
type:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_lngtxt_4",columntitle:"Lng.Txt-4",columnwidth:0,fie
ldlength:100,fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,columnt
ype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_rm1",columntitle:"RM1",columnwidth:0,fieldlength:3,
fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,columntype:CTRL_TABL
E_STATIC},
{fieldname:"g_iw2x_remark1desc",columntitle:"RM1 Desc",columnwidth:0,f
ieldlength:30,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,columnt
ype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_rm2",columntitle:"RM2",columnwidth:0,fieldlength:3,
fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,columntype:CTRL_TABL
E_STATIC},
{fieldname:"g_iw2x_remark2desc",columntitle:"RM2 Desc",columnwidth:0,f
ieldlength:30,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,columnt
ype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_rm3",columntitle:"RM3",columnwidth:0,fieldlength:3,
fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,columntype:CTRL_TABLE
_STATIC},
{fieldname:"g_iw2x_remark3desc",columntitle:"RM3 Desc",columnwidth:0,f
ieldlength:30,fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,column
type:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_rm4",columntitle:"RM4",columnwidth:0,fieldlength:3,
fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,columntype:CTRL_TABLE
_STATIC},
{fieldname:"g_iw2x_remark4desc",columntitle:"RM4 Desc",columnwidth:0,f
ieldlength:30,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,columnt

(c) 2026 Liquid UI | Synactive | GuiXT <dev@guixt.com> | 2026-11-02 20:01

URL: https://www.liquid-ui.com/knowledge_base/content/126/1081/en/10204-indexing.html

```
ype:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_ntime",columntitle:"RM4 Desc",columnwidth:0,fieldle
ngth:8,fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,columntype:CT
RL_TABLE_STATIC},
{fieldname:"g_iw2x_houseno",columntitle:"HouseNo",columnwidth:10, fiel
dlength:10,fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,columntyp
e:CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_street",columntitle:"Street",columnwidth:20, fieldl
ength:60,fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,columntype:
CTRL_TABLE_STATIC},
{fieldname:"g_iw2x_city",columntitle:"City",columnwidth:20,fieldlength
:40,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,columntype:CTRL_T
ABLE_STATIC},{
fieldname:"g_iw2x_zip",columntitle:"Zip",columnwidth:10,fieldlength:10
,fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,columntype:CTRL_TAB
LE_STATIC},
//
{fieldname:"g_iw2x_state",columntitle:"State",columnwidth:5,fieldlengt
h:3,fieldtype:DBF_STRING, keytype:DBT_NON_PRIMARY_KEY,columntype:CTRL_
TABLE_STATIC},
{fieldname:"g_iw2x_lngtxtind",columntitle:"LngTxt Indicator",columnwid
th:0,fieldlength:1,fieldtype:DBF_STRING,keytype:DBT_NON_PRIMARY_KEY,co
lumntype:CTRL_TABLE_STATIC}
]);
```

Unique solution ID: #2084
Author: Poojitha Reddy
Last update: 2021-06-03 13:55

(c) 2026 Liquid UI | Synactive | GuiXT <dev@guixt.com> | 2026-11-02 20:01
URL: https://www.liquid-ui.com/knowledge_base/content/126/1081/en/10204-indexing.html