

# WS Introduction

## 1.6 WS Version History

Liquid UI WS is the Synactive implementation of JavaScript, called Webscript (WS). The following chart lists the version of WS that supports each command or feature. If only one build is listed, then the specified command is supported on all products. If multiple products are listed, then the individual releases are the supported versions. In all cases, unless otherwise noted, build subsequent to the listed release will support the specified feature. The earliest WS and Web Server releases supported are 1.1.100.0 and for Liquid UI Server, the baseline release is 3.3.329.0. The Liquid UI for iOS and Android releases are 1.0.9.0 and 1.0.1.0 respectively. The baseline Mobile release will be the same as the Server baseline - 3.3.329.0.

**Note:** All features supported on Liquid UI Server will also work on the mobile platforms - iOS, Android, and Windows CE. Therefore, only the Server version where the feature was first supported will be listed. The mobile platforms will be designated ' - ' or 'No'.

The below table shows the versions of the Liquid UI for SAP GUI, Web Server, and Liquid UI Server products where the Liquid WS important features/commands/system variables are introduced.

| WS Command / System variables    | SAP GUI   | Web Server | Liquid UI Server |
|----------------------------------|-----------|------------|------------------|
| <a href="#">appendfile()</a>     | 1.1.100.0 | 1.1.100.0  | 3.3.275.0        |
| <a href="#">applyguiscript()</a> | 1.1.100.0 | 1.1.100.0  | 3.4.353.0        |
| <a href="#">_ashost</a>          | 1.1.100.0 | 1.1.100.0  | -                |
| <a href="#">box()</a>            | 1.1.100.0 | 1.1.100.0  | 3.4.353.0        |
| <a href="#">boxsize()</a>        | 1.1.100.0 | 1.1.100.0  | 3.3.275.0        |
| <a href="#">buttonsize()</a>     | 1.1.100.0 | 1.1.100.0  | 3.3.275.0        |
| <a href="#">_blackbox</a>        | 1.2.271.0 | 1.2.271.0  | 3.4.492.0        |
| <a href="#">_builddate</a>       | -         | -          | -                |
| <a href="#">call()</a>           | 1.1.100.0 | 1.1.100.0  | 3.4.353.0        |
| <a href="#">checkbox()</a>       | 1.1.100.0 | 1.1.100.0  | -                |
| <a href="#">clearscreen()</a>    | 1.1.100.0 | 1.1.100.0  | 3.4.353.0        |
| <a href="#">closefile()</a>      | 1.1.100.0 | 1.1.100.0  | -                |
| <a href="#">column()</a>         | 1.1.100.0 | 1.1.100.0  | -                |
| <a href="#">columnheader()</a>   | 1.1.100.0 | 1.1.100.0  | 3.3.304.0        |
| <a href="#">columnorder()</a>    | 1.1.100.0 | 1.1.100.0  | 3.3.306.0        |
| <a href="#">columnsize()</a>     | 1.1.100.0 | 1.1.100.0  | -                |
| <a href="#">columnwidth()</a>    | 1.1.100.0 | 1.1.100.0  | 3.3.292.0        |
| <a href="#">comment()</a>        | 1.1.124.0 | 1.1.124.0  | -                |
| COM Control                      | 1.2.132.0 | 1.2.132.0  | -                |
| <a href="#">connectHTML()</a>    | 1.2.274.0 | 1.2.274.0  | 3.4.495.0        |
| <a href="#">copytext()</a>       | 1.2.330.0 | 1.2.330.0  | 3.5.571.0        |
| <a href="#">_client</a>          | 1.1.100.0 | 1.1.100.0  | -                |
| <a href="#">_clientedition</a>   | 1.1.180.0 | 1.1.180.0  | 3.4.402.0        |
| <a href="#">_clipboard</a>       | 1.2.339.0 | 1.2.339.0  | 3.5.572.0        |
| <a href="#">_connectiondata</a>  | 1.2.216.0 | 1.2.216.0  | -                |
| <a href="#">_cursorcolname</a>   | -         | -          | -                |

# WS Introduction

|                                      |           |           |           |
|--------------------------------------|-----------|-----------|-----------|
| <a href="#">_cursorcoltechname</a>   | -         | -         | -         |
| <a href="#">_cursorfieldname</a>     | -         | -         | -         |
| <a href="#">_cursorfieldtechnam</a>  | -         | -         | -         |
| <a href="#">e</a>                    |           |           |           |
| <a href="#">_cursorrow</a>           | -         | -         | -         |
| <a href="#">_cursortabname</a>       | -         | -         | -         |
| <a href="#">_cursortabtechname</a>   | -         | -         | -         |
| <a href="#">del()</a>                | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">dropdownlist()</a>       | 1.2.136.0 | 1.2.136.0 | 3.5.513.0 |
| <a href="#">(combobox)</a>           |           |           |           |
| <a href="#">_database</a>            | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">_directoryN</a>          | -         | -         | -         |
| <a href="#">_dynpro</a>              | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">enter()</a>              | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">enable()</a>             | -         | -         | 3.5.548.0 |
| <a href="#">_eventid</a>             | 1.2.332.0 | 1.2.332.0 | 3.5.572.0 |
| <a href="#">filesize()</a>           | 1.2.132.0 | 1.2.132.0 | -         |
| <a href="#">file()</a>               | 1.2.123.0 | 1.2.123.0 | -         |
| <a href="#">getfieldattribute()</a>  | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">gettableattribute()</a>  | 1.1.100.0 | 1.1.100.0 | 3.3.338.0 |
| <a href="#">globaltextreplace()</a>  | 1.2.136.0 | 1.2.136.0 | 3.4.359.0 |
| <a href="#">goto - label</a>         | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">_guixtsjs</a>            | -         | -         | -         |
| <a href="#">_guixtdll</a>            | -         | -         | -         |
| <a href="#">HTML5 Compatibility</a>  | 1.2.203.0 | 1.2.203.0 | 3.4.425.0 |
| <a href="#">htmlnode()</a>           | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">_hostname</a>            | 1.2.339.0 | 1.2.339.0 | 3.5.582.0 |
| <a href="#">image()</a>              | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">inputfield()</a>         | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">leave()</a>              | 1.1.100.0 | -         | -         |
| <a href="#">linerecordsplit()</a>    | 1.2.194.0 | 1.2.194.0 | 3.4.416.0 |
| <a href="#">link()</a>               | -         | -         | -         |
| <a href="#">load()</a>               | 1.1.100.0 | 1.1.100.0 | 3.3.282.0 |
| <a href="#">localvaluehelp()</a>     | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">_language</a>            | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">_last_fcode</a>          | 1.2.296.0 | 1.2.296.0 | 3.5.522.0 |
| <a href="#">_listfirstvisiblecol</a> | 1.2.326.0 | 1.2.326.0 | 3.5.566.0 |
| <a href="#">_listlastvisiblecol</a>  | 1.2.326.0 | 1.2.326.0 | 3.5.566.0 |
| <a href="#">_listdatawidth</a>       | 1.2.326.0 | 1.2.326.0 | 3.5.566.0 |
| <a href="#">_listtotalwidth</a>      | 1.2.326.0 | 1.2.326.0 | 3.5.566.0 |
| <a href="#">_listfirstvisiblerow</a> | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">_listlastvisiblerow</a>  | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">_liststring</a>          | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">_listline</a>            | 1.2.337.0 | 1.2.337.0 | 3.5.516.0 |
| <a href="#">_log</a>                 | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">message()</a>            | 1.1.100.0 | 1.1.100.0 | 3.4.352.0 |
| <a href="#">_message</a>             | 1.1.100.0 | 1.1.100.0 | 3.5.562.0 |
| <a href="#">_msgno -</a>             | 1.2.326.0 | 1.2.326.0 | 3.5.564.0 |
| <a href="#">_msgtype</a>             | 1.2.326.0 | 1.2.326.0 | 3.5.564.0 |

# WS Introduction

|                                      |           |           |           |
|--------------------------------------|-----------|-----------|-----------|
| <a href="#">_msgid</a>               | 1.2.326.0 | 1.2.326.0 | 3.5.564.0 |
| <a href="#">nodropdownlist()</a>     | 1.2.130.0 | 1.2.130.0 | -         |
| <a href="#">noinput()</a>            | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">noscrollbar()</a>        | 1.2.145.0 | 1.2.145.0 | 3.4.367.0 |
| <a href="#">_notificationID</a>      | -         | -         | -         |
| <a href="#">_nwrfcinuse</a>          | 1.2.342.0 | 1.2.342.0 | 3.5.589.0 |
| <a href="#">onmessage</a>            | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">onscreen()</a>           | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">onUIEvents()</a>         | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">openfile()</a>           | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">pos()</a>                | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">pushbutton()</a>         | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">_page</a>                | -         | -         | 3.5.581.0 |
| <a href="#">_page.exists</a>         | 1.2.133.0 | 1.2.133.0 | -         |
| <a href="#">_program</a>             | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">radiobutton()</a>        | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">readfile()</a>           | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">removefile()</a>         | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">reenter()</a>            | 1.2.332.0 | 1.2.332.0 | 3.5.571.0 |
| <a href="#">return()</a>             | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">returnvalues()</a>       | 1.2.295.0 | 1.2.295.0 | 3.5.522.0 |
| <a href="#">rfcconnect()</a>         | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">set()</a>                | 1.1.122.0 | 1.1.122.0 | -         |
| <a href="#">setcursor()</a>          | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">sort</a>                 | -         | -         | -         |
| <a href="#">start</a>                | -         | -         | -         |
| <a href="#">statusmessage()</a>      | 1.1.100.0 | 1.1.100.0 | 3.3.256.0 |
| <a href="#">_sapgui_version</a>      | -         | -         | -         |
| <a href="#">_sapgui_patch</a>        | -         | -         | -         |
| <a href="#">_sessioncount()</a>      | 1.2.296.0 | 1.2.296.0 | 3.5.523.0 |
| <a href="#">ShellExecute()</a>       | -         | -         | -         |
| <a href="#">switchto()</a>           | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">system.queryExists()</a> | 1.2.328.0 | 1.2.328.0 | -         |
| <a href="#">table()</a>              | 1.2.146.0 | 1.2.146.0 | 3.4.368.0 |
| <a href="#">tablewidth()</a>         | 1.2.146.0 | 1.2.146.0 | 3.4.366.0 |
| <a href="#">text()</a>               | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">textbox()</a>            | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">textreplace</a>          | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">tip()</a>                | 1.1.130.0 | 1.1.130.0 | 3.3.274.0 |
| <a href="#">title()</a>              | 1.1.100.0 | 1.1.154.0 | 3.3.272.0 |
| <a href="#">toMultiByte()</a>        | 1.2.196.0 | 1.2.196.0 | 3.4.419.0 |
| <a href="#">toUTF8()</a>             | 1.2.194.0 | 1.2.194.0 | 3.4.416.0 |
| <a href="#">_tabcol</a>              | -         | -         | -         |
| <a href="#">_tabrow</a>              | -         | -         | -         |
| <a href="#">_tabrowabs</a>           | -         | -         | -         |
| <a href="#">_title</a>               | -         | -         | -         |
| <a href="#">_transaction</a>         | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">usecss()</a>             | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">usejs()</a>              | 1.1.100.0 | 1.1.100.0 | -         |

# WS Introduction

|                                   |           |           |           |
|-----------------------------------|-----------|-----------|-----------|
| <a href="#">_user</a>             | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">versionnumber()</a>   | 1.1.100.0 | 1.1.100.0 | 3.4.398.0 |
| <a href="#">view()</a>            | 1.1.100.0 | 1.1.100.0 | 3.4.447.0 |
| <a href="#">_version</a>          | -         | -         | -         |
| <a href="#">windowscroll()</a>    | 1.2.303.0 | 1.2.303.0 | 3.5.530.0 |
| <a href="#">windowsize()</a>      | 1.1.100.0 | 1.1.100.0 | 3.5.523.0 |
| <a href="#">wsmessage()</a>       | -         | -         | -         |
| <a href="#">_windowsize</a>       | 1.2.295.0 | 1.2.295.0 | 3.5.522.0 |
| <a href="#">ws&lt;command&gt;</a> | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">wscurl()</a>          | 1.2.180.0 | 1.2.180.0 | -         |
| <a href="#">wsodbc()</a>          | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">ws_log</a>            | 1.1.100.0 | 1.1.100.0 | 3.4.499.0 |
| <a href="#">ws_WS</a>             | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">ws_vap</a>            | 1.1.100.0 | 1.1.100.0 | -         |
| <a href="#">#include</a>          | 1.2.331.0 | 1.2.331.0 | 3.5.575.0 |

Unique solution ID: #2262

Author: sarvani.kusuri@guixt.com

Last update: 2019-09-12 16:58