WS Introduction

1.6 WS Version History

Liquid UI WS is the Synactive implementation of JavaScript, called Webscript (WS). The following chart lists the version of WS that supports each command or feature. If only one build is listed, then the specified command is supported on all products. If multiple products are listed, then the individual releases are the supported versions. In all cases, unless otherwise noted, build subsequent to the listed release will support the specified feature. The earliest WS and Web Server releases supported are 1.1.100.0 and for Liquid UI Server, the baseline release is 3.3.329.0. The Liquid UI for iOS and Android releases are 1.0.9.0 and 1.0.1.0 respectively. The baseline Mobile release will be the same as the Server baseline - 3.3.329.0.

Note: All features supported on Liquid UI Server will also work on the mobile platforms - iOS, Android, and Windows CE. Therefore, only the Server version where the feature was first supported will be listed. The mobile platforms will be designated ' - ' or 'No'.

The below table shows the versions of the Liquid UI for SAP GUI, Web Server, and Liquid UI Server products where the Liquid WS important features/commands/system variables are introduced.

WS Command / System variables	SAP GUI	Web Server	Liquid UI Server
appendfile()	1.1.100.0	1.1.100.0	3.3.275.0
applyguiscript()	1.1.100.0	1.1.100.0	3.4.353.0
_ashost	1.1.100.0	1.1.100.0	-
box()	1.1.100.0	1.1.100.0	3.4.353.0
boxsize()	1.1.100.0	1.1.100.0	3.3.275.0
buttonsize()	1.1.100.0	1.1.100.0	3.3.275.0
_blackbox	1.2.271.0	1.2.271.0	3.4.492.0
_builddate	-	-	-
call()	1.1.100.0	1.1.100.0	3.4.353.0
checkbox()	1.1.100.0	1.1.100.0	-
clearscreen()	1.1.100.0	1.1.100.0	3.4.353.0
closefile()	1.1.100.0	1.1.100.0	-
column()	1.1.100.0	1.1.100.0	-
columnheader()	1.1.100.0	1.1.100.0	3.3.304.0
columnorder()	1.1.100.0	1.1.100.0	3.3.306.0
columnsize()	1.1.100.0	1.1.100.0	-
columnwidth()	1.1.100.0	1.1.100.0	3.3.292.0
comment()	1.1.124.0	1.1.124.0	-
COM Control	1.2.132.0	1.2.132.0	-
connectHTML()	1.2.274.0	1.2.274.0	3.4.495.0
copytext()	1.2.330.0	1.2.330.0	3.5.571.0
_client	1.1.100.0	1.1.100.0	-
_clientedition	1.1.180.0	1.1.180.0	3.4.402.0
_clipboard	1.2.339.0	1.2.339.0	3.5.572.0
_connectiondata	1.2.216.0	1.2.216.0	-
_cursorcolname	-	-	-

(c) 2026 Liquid UI | Synactive | GuiXT <dev@guixt.com> | 2026-11-03 16:42

URL: https://www.liquid-ui.com/knowledge_base/content/8/1255/en/16-ws-version-history.html

_cursorcoltechname	-	-	-
_cursorfieldname	-	-	-
_cursorfieldtechname	-	-	-
_cursorrow	-	-	-
_cursortabname	-	-	-
_cursortabtechname	-	-	-
del()	1.1.100.0	1.1.100.0	-
dropdownlist() (combobox)	1.2.136.0	1.2.136.0	3.5.513.0
_database	1.1.100.0	1.1.100.0	-
_directoryN	-	-	-
_dynpro	1.1.100.0	1.1.100.0	-
enter()	1.1.100.0	1.1.100.0	-
enable()	-	-	3.5.548.0
_eventid	1.2.332.0	1.2.332.0	3.5.572.0
fieldsize()	1.2.132.0	1.2.132.0	-
file()	1.2.123.0	1.2.123.0	-
getfieldattribute()	1.1.100.0	1.1.100.0	-
gettableattribute()	1.1.100.0	1.1.100.0	3.3.338.0
globaltextreplace()	1.2.136.0	1.2.136.0	3.4.359.0
goto - label	1.1.100.0	1.1.100.0	-
_guixtsjs	-	-	-
_guixtdll	-	-	-
HTML5 Compatibility	1.2.203.0	1.2.203.0	3.4.425.0
htmlnode()	1.1.100.0	1.1.100.0	-
_hostname	1.2.339.0	1.2.339.0	3.5.582.0
image()	1.1.100.0	1.1.100.0	-
inputfield()	1.1.100.0	1.1.100.0	-
leave()	1.1.100.0	-	-
linerecordsplit()	1.2.194.0	1.2.194.0	3.4.416.0
link()	-	-	-
load()	1.1.100.0	1.1.100.0	3.3.282.0
localvaluehelp()	1.1.100.0	1.1.100.0	-
_language	1.1.100.0	1.1.100.0	-
_last_fcode	1.2.296.0	1.2.296.0	3.5.522.0
_listfirstvisiblecol	1.2.326.0	1.2.326.0	3.5.566.0
_listlastvisiblecol	1.2.326.0	1.2.326.0	3.5.566.0
_listdatawidth	1.2.326.0	1.2.326.0	3.5.566.0
_listtotalwidth	1.2.326.0	1.2.326.0	3.5.566.0
_listfirstvisiblerow	1.1.100.0	1.1.100.0	-
_listlastvisiblerow	1.1.100.0	1.1.100.0	-
_liststring	1.1.100.0	1.1.100.0	-
_listline	1.2.337.0	1.2.337.0	3.5.516.0
_log	1.1.100.0	1.1.100.0	-
message()	1.1.100.0	1.1.100.0	3.4.352.0
_message	1.1.100.0	1.1.100.0	3.5.562.0
_msgno -	1.2.326.0	1.2.326.0	3.5.564.0
_msgtype	1.2.326.0	1.2.326.0	3.5.564.0

(c) 2026 Liquid UI | Synactive | GuiXT <dev@guixt.com> | 2026-11-03 16:42

URL: https://www.liquid-ui.com/knowledge_base/content/8/1255/en/16-ws-version-history.html

_msgid	1.2.326.0	1.2.326.0	3.5.564.0
nodropdownlist()	1.2.130.0	1.2.130.0	-
noinput()	1.1.100.0	1.1.100.0	-
noscrollbar()	1.2.145.0	1.2.145.0	3.4.367.0
_notificationID	-	-	-
_nwrfcinuse	1.2.342.0	1.2.342.0	3.5.589.0
onmessage	1.1.100.0	1.1.100.0	-
onscreen()	1.1.100.0	1.1.100.0	-
onUIEvents()	1.1.100.0	1.1.100.0	-
openfile()	1.1.100.0	1.1.100.0	-
pos()	1.1.100.0	1.1.100.0	-
pushbutton()	1.1.100.0	1.1.100.0	-
_page	-	-	3.5.581.0
_page.exists	1.2.133.0	1.2.133.0	-
_program	1.1.100.0	1.1.100.0	-
radiobutton()	1.1.100.0	1.1.100.0	-
readfile()	1.1.100.0	1.1.100.0	-
removefile()	1.1.100.0	1.1.100.0	-
reenter()	1.2.332.0	1.2.332.0	3.5.571.0
return()	1.1.100.0	1.1.100.0	-
returnvalues()	1.2.295.0	1.2.295.0	3.5.522.0
rfcconnect()	1.1.100.0	1.1.100.0	-
set()	1.1.122.0	1.1.122.0	-
setcursor()	1.1.100.0	1.1.100.0	-
sort	-	-	-
start	-	-	-
statusmessage()	1.1.100.0	1.1.100.0	3.3.256.0
_sapgui_version	-	-	-
_sapgui_patch	-	-	-
_sessioncount()	1.2.296.0	1.2.296.0	3.5.523.0
ShellExecute()	-	-	-
switchto()	1.1.100.0	1.1.100.0	-
system.queryExists()	1.2.328.0	1.2.328.0	-
table()	1.2.146.0	1.2.146.0	3.4.368.0
tablewidth()	1.2.146.0	1.2.146.0	3.4.366.0
text()	1.1.100.0	1.1.100.0	-
textbox()	1.1.100.0	1.1.100.0	-
textreplace	1.1.100.0	1.1.100.0	-
tip()	1.1.130.0	1.1.130.0	3.3.274.0
title()	1.1.100.0	1.1.154.0	3.3.272.0
toMultiByte()	1.2.196.0	1.2.196.0	3.4.419.0
toUTF8()	1.2.194.0	1.2.194.0	3.4.416.0
_tabcol	-	-	-
_tabrow	-	-	-
_tabrowabs	-	-	-
_title	-	-	-
_transaction	1.1.100.0	1.1.100.0	-
usecss()	1.1.100.0	1.1.100.0	-
usejs()	1.1.100.0	1.1.100.0	-

(c) 2026 Liquid UI | Synactive | GuiXT <dev@guixt.com> | 2026-11-03 16:42

URL: https://www.liquid-ui.com/knowledge_base/content/8/1255/en/16-ws-version-history.html

WS Introduction

_user	1.1.100.0	1.1.100.0	-
versionnumber()	1.1.100.0	1.1.100.0	3.4.398.0
view()	1.1.100.0	1.1.100.0	3.4.447.0
_version	-	-	-
windowscroll()	1.2.303.0	1.2.303.0	3.5.530.0
windowsize()	1.1.100.0	1.1.100.0	3.5.523.0
wsmessage()	-	-	-
_windowsize	1.2.295.0	1.2.295.0	3.5.522.0
ws<command>	1.1.100.0	1.1.100.0	-
wscurl()	1.2.180.0	1.2.180.0	-
wsodbc()	1.1.100.0	1.1.100.0	-
ws_log	1.1.100.0	1.1.100.0	3.4.499.0
ws_WS	1.1.100.0	1.1.100.0	-
ws_vap	1.1.100.0	1.1.100.0	-
#include	1.2.331.0	1.2.331.0	3.5.575.0

Unique solution ID: #2262
Author: sarvani.kusuri@guixt.com
Last update: 2019-09-12 16:58

(c) 2026 Liquid UI | Synactive | GuiXT <dev@guixt.com> | 2026-11-03 16:42
URL: https://www.liquid-ui.com/knowledge_base/content/8/1255/en/16-ws-version-history.html